

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL-STD-1727 Washer	Textron Lycoming Part No. STD-1727	FAA approved Superior Air Parts, Inc. Dwg. No. SL-STD-1727 Rev. n/c dtd. 02/28/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C2A, F2A, J2A, K2A, L2A, M1, N2A, C1C, C2C, H2C, K2C, L2C, N2C, F2B, H2C, K2B, P2A O-290-D, D2, D2B, D2C O-320-A2A, A2B, A2C, A3A, A3B, A3C, B2A, B2B, B3A, B3B, B3C, D1A, D2A, D2B, E1A, E2A, D2C, E2B, E2C, B2C, D1D, D1F, D2G, D2J, D3G, A2D, E1F, E2D, E2F, E2G, E2H, E3D, E3H IO-320-B1A, B1C, C1A, D1A, D1B, E1A, E1B, E2A, E2B AIO-320-B1B, C1B LIO-230-B1A, C1A O-340-A, B TIO-360-C1A6D, A1B TO-360-E1A6D, C1A6D LO-360-E1A6D, A1G5D LTO-E1A6D O-360-A1A, A1AD, A1D, A1F6, A1F6D, A1G6, AD1G6D, A1LD, A2A, A2D, A2F, A2G, A3A, A3AD, A4A, A4J, A4K, A4M, A5AD, E1A6D, B2A, C1A, C1C, C1E, C1F, C2A, C2C, C2E,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL-STD-1727 Washer (cont'd)	Textron Lycoming Part No. STD-1727	FAA approved Superior Air Parts, Inc. Dwg. No. SL-STD-1727 Rev. n/c dtd. 02/28/89 or later FAA approved revision.	Lycoming Eng. U-360 (cont'd) D2A, F1A6, A1C, A2E, C2D, D2B, C1G, A4N IO-360-AD1A, B1A, B1B, C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D, B1D, B1E, B1F, B2F, B2F6, B4A HO-360-B1A, B1B HIO-360-A1A, B1A, C1A, C1B, D1A, E1AD, E1BT, F1AD LIO-360-C1E6 AEIO-360-A1E, B1G6, H1A AIO-360-A1A, A1B, B1B VO-360-A1A, A1B, B1A IVO-360-A1A GO-435-C2, C2E, C2A, C2A2 VO-435-A1B, A1C, A1D, A1E, A1F TVO-435-A1A, B1A GO-480-C1D6, G1A6, G1D6, G1H6, G1J6, G2D6, G2F6, G1B6, G1E6, B, B1A6, B1B, B1C, B1D, D1A, F6, F1A6, F2A6, F4A6 O-540-B2B5, B2C5, B4B5, E4A5, E4AB5, E4C5, G1A5, H1B5D, H2B5D, J1A5D, A1A,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL-STD-1727 Washer (cont'd)	Textron Lycoming Part No. STD-1727	FAA approved Superior Air Parts, Inc. Dwg. No. SL-STD-1727 Rev. n/c dtd. 02/28/89 or later FAA approved revision.	Lycoming Eng. O-540 (cont d) A1A5, A1B5, A1C5, A1D, A1D5, A2B, A3D5, B1A5, B1B5, F1A5, F1B5 IO-540-A1A5, B1A5, B1C5, C1B5, C4B5, C4C5, D4A5, E1A5, G1A5, K1C5, K1D5, N1A5, R1A5, E1B5, K1B5, G1B5, J1A5, M1AF, P1A5, V4A5D, L1C5D, K1K5, T4C5D, T4A5D, T4B5D, C4D5D TIO-540-U2A, V2AD, AB1AD, AA1AD LTIO-540-U2A, V2AD AEIO-540-D4B5, L1B5D VO-540-A1A, A2A, B1A, B2A, B1B3, B1C, B2C, B1B, B2B, B1E, B2E, C1A, C2A, C1B, C2B, C1C3 TIVO-540-A2A TIGO-541-E1A TIO-541-A1A, E1A4, E1B4, E1C4 IGO-540-A1A, B1A, B1C IGSO-540-A1A, A1C, B1A IO-720-A1A, A1B, B1B, C1B, D1B, B1BD, D1C

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL-STD-2213 Screw	Textron Lycoming Part No. STD-2213	FAA approved Superior Air Parts, Inc. dwg. No. SL-STD-2213 Rev. n/c dated 2/28/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D1, D2B, D2C O-320-A2A, A2B, A2C, A3A, A3B, A3C, B2A, B2B, B3A, B3B, B3C, D1A, D2A, D2B, D2C, E1A, E2A, E2B, E2C, E2D, A2D, E1F, E2F, E2G, E2H, E3D, E3H, B2C, D1D, D1F, D2G, D2J, D3G IO-320-B1A, B1C, C1A, D1A, E2A, D1B, E1A, E1B, E2B LIO-320-B1A, C1A AIO-320-B1B, C1B O-340-A, B O-360-A1A, A1D, A1F6, A1G6, A2A, A2D, A2F, A2G, A3A, A4A, A4G, A4J, A4K, A4M, B2A, C1A, C1C, C1E, C1F, C2A, C2C, C2E, D2A, F1A6, A1C, A2E, C2D, D2B, C1G, A4N IO-360-A1A, B1A, B1B, C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, A1B, A1B6, A1C, A1D, A1D6, A2A, A2B,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

<u>NOMENCLATURE AND PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR</u>	<u>FAA DESIGN DATA AND APPROVAL MEANS</u>	<u>APPROVED FOR INSTALLATION ON</u>
SL-STD-2213 Screw (cont'd)	Textron Lycoming Part No. STD-2213	FAA approved Superior Air Parts, Inc. dwg. No. SL-STD-2213 Rev. n/c dated 2/28/89 or later FAA approved revision.	Lycoming Eng. IO-360 (cont'd) B1D, B1E, B1F, B2F, B2F6, B4A AIO-360-A1A, A1B, B1B HO-360-B1A, B1B HIO-360-A1A, B1A, C1A, C1B, D1A LIO-360-C1E6 TIO-360-A1B AEIO-360-A1E, B1G6, H1A IO-720-A1A, A1B, B1B, C1B, D1B, D1C
SL25C Stud	Textron Lycoming Part No. 25C	FAA approved Superior Air Parts, Inc. Dwg. No. SL25C Rev. n/c dtd. 11/29/88 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C O-320-A3B, B3B O-360-A1A, A1D IO-720-D1C IO-360-B1A O-540-L3C5D, B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, G1A5, H1B5D, H2B5D IO-540-L1C5, W3A5D, K1K5, T4A5D, T4B5D, T4C5D, C4D5D, V4A5D AEIO-540-L1B5D, D4B5 TIO-540-U2A, V2AD, AB1AD, AA1AD LTIO-540-U2A, V2AD TIGO-541-E1A

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL38 Stud	Textron Lycoming Part No. 38	FAA approved Superior Air Parts, Inc. Dwg. No. SL38 Rev. n/c dtd. 12/14/88 or later FAA approved revision.	Lycoming Eng. O-235-F2A, F2B, J2A, K2A, K2B, L2A, L2C, N2A, N2C, P2A O-290-D, D2, D2B, D2C O-320-H2AD, B2A, B2B, B3A, B3B, B3C, D1A, D2A, D2B, A2B, A2C, A2D, A3B, E1A, E1F, F2A, E2B, E2C, E2D, E2F, E2G, E2H, E2D, E3H, B2C, D1D, D1F, D2C, D2G, D2J, D3J IO-320-B1A, B1C, C1A, D1A, D1B, E1A, E1B, E2A, E2B AIO-320-B1B, C1B LIO-320-B1A, C1A O-340-A, B TO-360-E1A6D LTO-360-E1A6D O-360-A1A, A1AD, A1D, A1F6, A1F6D, A1G6, A1G6D, A1LD, A2A, A2D, A2F, A2G, A3A, A3AD, A4A, A4G, A4J, A4K, A4M, A5AD, E1A6D, B2A, C1A, C1C, C1E, C1F, C2A, C2C, C2E, D2A, F1A6, A1C, A2E, C2D, D2B, A4N, C1G LO-360-E1A6D, A1G6D TO-360-C1A6D

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

<u>NOMENCLATURE AND PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR</u>	<u>FAA DESIGN DATA AND APPROVAL MEANS</u>	<u>APPROVED FOR INSTALLATION ON</u>
SL38 Stud (cont'd)	Textron Lycoming Part No. 38	FAA approved Superior Air Parts, Inc. Dwg. No. SL38 Rev. n/c dtd. 12/14/88 or later FAA approved revision.	Lycoming Eng. IO-360-A1A, B1A, B1B, C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D, B1D, B1E, B1F, B2F, B2F6, B4A HO-360-B1A, B1B HIO-360-A1A, B1A, C1A, C1B, D1A, E1AD, E1BD, F1AD TIO-360-C1A6D, A1B LIO-360-C1E6 AEIO-360-A1E, B1G6, H1A AIO-360-A1A, A1B, B1B VO-360-A1A, A1B, B1A IVO-360-A1A GO-480-C1D6, G1A6, G1D6, G1H6, G1J6, G2D6, G2F6, G1B6, G1E6 GO-435-C2, C2E, C2A, C2A2, C2B, C2B1, C2B2, C2B2-6 O-435-A, A2 VO-435-A1B, A1C, A1D, A1E, A1F TVO-435-A1A, B1A O-540-J1A5D, J3A5D, J3C5D, L3C5D, B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, G1A5, H1B5D, H2B5D, A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2B, A3D5,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL38 Stud (cont'd)	Textron Lycoming Part No. 38	FAA approved Superior Air Parts, Inc. Dwg. No. SL38 Rev. n/c dtd. 12/14/88 or later FAA approved revision.	Lycoming Eng. O-540 (cont'd) B1A5, B1B5, B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, F1A5, F1B5, G1A5, G2A5 IO-540-A1A5, B1A5, B1C5, C1B5, C4B5, C4C5, D4A5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1B5, K1C5, K1D5, K1E5, M1A5, N1A5, P1A5, R1A5, L1C5, W3A5D, K1K5, T4A5D, T4B5D, T4C5D, C4D5D, V4A5D AEIO-540-D4B5, L1B5D TIO-540-V2AD, AB1AD, AA1AD, U2A LTIO-540-V2AD, U2A VO-540-A1A, A2A, B1A, B2A, B1B3, B1C, B2C, B1D, B2D, B1E, B2E, C1A, C2A, C1B, C2B, C1C3 TIVO-540-A2A TIGO-541-E1A IGO-540-A1A, A1C, B1A, B1C IGSO-540-A1A, A1C, A1D, A1E, A1H, B1A, B1C TIO-541-A1A IO-720-A1A, A1B, B1B, C1B, D1B, B1BD, D1C

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

<u>NOMENCLATURE AND PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR</u>	<u>FAA DESIGN DATA AND APPROVAL MEANS</u>	<u>APPROVED FOR INSTALLATION ON</u>
SL44 Stud	Textron Lycoming Part No. 44	FAA approved Superior Air Parts, Inc. Dwg. No. SL44 Rev. n/c dtd. 12/14/88 or later FAA approved revision.	Lycoming Eng. O-325-F2A, F2B, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A
SL8313 Gasket	Textron Lycoming Part No. 8313	FAA approved Superior Air Parts, Inc. Dwg. No. SL8313 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2B, D2C O-320-A2A, A2B, A2C, A3A, A3B, A3C, B2A, B2B, D1A, D2A, D2B, D2C, E1A, E2A, E2B, E2C, E2D, H2AD, E3H, B2C, E1F, E2F, D1D, D1F, E2G, E2H, E3D, D2G, D2J, D3G IO-320-B1A, B1C, C1A, D1A, E2A, D1B LIO-320-B1A, C1A AIO-320-B1B, C1B O-340-A TO-360-E1A6D, C1A6D LTO-360-E1A6D O-360-A1A, A1AD, A1D, A1F6, A1FK6D, A1G6, A1G6D, A1LD, A2A, A2D, A2F, A3A, A3AD, A4A, A4K, A4M, A5AD, E1A6D, B2A, C1A, C1C, C1F, C2A, D2A, F1A6, A1C,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL8313 Gasket (cont'd)	Textron Lycoming Part No. 8313	FAA approved Superior Air Parts, Inc. Dwg. No. SL8313 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. O-360 (cont'd) A2E, C2C, B1A, C1G, A4N LO-360-E1A6D, A1G6D IO-360-A1A, B1A, B1B, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D, A1B, A1B6, A1B6D, A1C, A1D6, A2A, A2B, A3B6D, B1B, B1D, B1F, B2F, B2F6, B4A TIO-360-C1A6D, A1B LIO-360-C1E6 AIO-360-A1A, A1B, B1B VO-360-A1A, A1B, B1A IVO-360-A1A GO-435-C2, C2E, C2A, C2A2, C2B, C2B1, C2B2, C2B26 O-435-A, A2 VO-435-1AB, A1C, A1D, A1E, A1F TVO-435-A1A, B1A GO-480-C1D6, G1A6, G1D6, G1H6, G1J6, G2D6, B, B1A6, B1B, B1C, B1D, D1A, F6, F1A6, F2A6, F4A6 O-540-B4B5, E4A5, E4B5, H1B6D, H2B5D, J1A5D, J3A5D, J3C5D, L3C5D IO-540-G1A5, K1C5, T4A5D, T4B5D,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

<u>NOMENCLATURE AND PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR</u>	<u>FAA DESIGN DATA AND APPROVAL MEANS</u>	<u>APPROVED FOR INSTALLATION ON</u>
SL8313 Gasket (cont'd)	Textron Lycoming Part No. 8313	FAA approved Superior Air Parts, Inc. Dwg. No. SL8313 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. IO-540 (cont'd) K1K5, W3A5D, L1C5, V4A5D, C4D5D TIO-540-U2A, AA1AD, AB1AD, V2AD LTIO-540-R2A, V2AD AEIO-540-D4B5, L1B5D VO-540-A1A, A2A, B1A, B2A, B1B3, B1C, B1D, B2D, B1E, B2E, C1A, C2A, C1B, C2B, C1C3 TIVO-540-A2A TIGO-541=E1A TIO-541-A1A, E1A4, E1B6, E1C4 IGO-540-A1A, A1C, B1A, B1C IGSO-540-A1A, A1C, A1D, A1E, A1H, B1A, B1C IO-720-A1A, A1B, B1B, C1B, D1B, B1BD
SL10077 Seat, valve spring	Textron Lycoming Part No. LW10077	FAA approved Superior Air Parts, Inc. Dwg. No. SL10077 Rev. n/c dtd. 12/8/88 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2B, D2C O-320-A2A, A2B, A2C, A2D, A3A, A3B, A3C, B2A, B2B, B2C, B3A, B3B, B3C, E1A,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL10077 Seat, valve spring (cont'd)	Textron Lycoming Part No. LW10077	FAA approved Superior Air Parts, Inc. Dwg. No. SL10077 Rev. n/c dtd. 12/8/88 or later FAA approved revision.	Lycoming Eng. O-320 (cont'd) E2A, E2B, E2C, D2D, E2F, E2G, E2H, E3D, E3H, D1A, D1D, D1F, D2A, D2B, D2C, D2G, D2J, D3G, H2AD IO-320-B1A, B1C, C1A, D1A, D1B, E1A, E1B, E2A, E2B AIO-320-B1B, C1B LIO-320-B1A, C1A O-340-A, B O-360-A1A, A1AD, A1C, A1D, A1F6, A1F6D, A1G6, A1G6D, A1LD, A2A, A2D, A2E, A2F, A2G, A3A, A3AD, A4A, A4G, A4J, A4K, A4M, A5AD, B2A, C1A, C1C, C1E, C1F, C2A, C2C, C2D, C2E, D2A, D2B, F1A6, E1A6D, A4N, G1G LO-360-A1G6D, E1A6D IO-360-B1A, B1B, B1D, B1E, B1F, B2F, B2F6, B4A HIO-360-A1A, B1A, C1A, C1B, D1A AEIO-360-B1G6, H1A TO-360-76 Series LTO-360-76 Series GO-435-C2, C2A, C2A2, C2B, C2B1, C2B2, C2B2-6, C2E VO-435-A1B, A1C,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL10077 Seat, valve spring (cont'd)	Textron Lycoming Part No. LW10077	FAA approved Superior Air Parts, Inc. Dwg. No. SL10077 Rev. n/c dtd. 12/8/88 or later FAA approved revision.	Lycoming Eng. VU-435 (cont'd) A1D, A1E, A1F TV0-435-A1A, B1A GO-480-B, B1A6, B1B, B1C, B1D, D1A, F6, F1A6, F2A6, F4A6, C1D6, G1A6, G1D6, G1H6, G1J6, G2D6, G2F6, G1B6, G1E6 O-540-A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2B, A3D5, B1A5, B1B5, B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, F1A5, F1B5, G1A5, G2A5 IO-540-A1A5, B1B5, B1C5, C1B5, C1D5, C4B5, C4C5, D4A5, E1A5, E1B5, G1A5, G1B5, G1C5, G1E5, G1F5, J4A5, K1E5, M1A5, N1A5, P1A5, R1A5, V4A5D, W3A5D, C4D5D, T4A5D, T4B5D, T4C5D AEIO-540-D4B5 TIO-540-AA1AD, AB1AD VO-540-A1A, A2A, B1A, B1B3, B1C, B2A, B2C, B1D, B2D, B1E, B2E, C1A, C2A, C1B, C2B, C1C3 TIVO-540-A2A TIO-541-A1A, E1A4, E1B4, E1C4

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL12681 Gasket	Textron Lycoming Part No. LW12681	FAA approved Superior Air Parts, Inc. Dwg. No. SL12681 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. O-235-K2B, K2B, C1C, C2C, H2C, K2C, L2C, N2C O-320-H2AD, D1D, D1F, D2C, D2G, D2J, D3G, A2D, E1F, E2C, E2D, E2F, E2G, E3D IO-320-D1A, D1B, E1B, E2B AIO-360-B1B, C1B TO-360-E1A6D, C1A6D LTO-360-E1A6D O-360-A1F6, A1G6, A2F, A2G, A4G, A4K, A4M, A1AD, A1F6D, A1G6D, A1LD, A3AD, A5AD, E1A6D, C1E, C1F, C2E, F1A6, A4N LO-360-E1A6D TIO-360-C1A6D HIO-360-D1A, E1AD, E1BD, F1AD IO-360-C1C, C1C6, C1D6, C1E6, C1F, J1A6D, A1B, A1B6, A1D6, A2B, B1E, B1F, B2F, B2F6, A1C, A1B6D, A3B6D LIO-360-C1E6 AEIO-360-B1G6, H1A AIO-360-A1B, B1B, A1A AEIO-540-D4B5, L1B5D O-540-J1A5D, J3A5D, J3C5D, L3C5D, B2C5, E4C5, G1A5, G2A5, H1B5D,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

<u>NOMENCLATURE AND PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR</u>	<u>FAA DESIGN DATA AND APPROVAL MEANS</u>	<u>APPROVED FOR INSTALLATION ON</u>
SL12681 Gasket (cont'd)	Textron Lycoming Part No. LW12681	FAA approved Superior Air Parts, Inc. Dwg. No. SL12681 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. O-540 (cont'd) H2B5D IO-540-C4D5D, V4A5D, L1C5, W3A5D, K1K5, T4A5D, T4B5D, T4C5D TIO-540-AB1D, U2A, V2AD, A1A, A1B, A2A, A2B, A2C, C1A, E1A, G1A, H1A, J2B, J2BD, N2BD, R2AD, S1AD, F2BD LTIO-540-U2A, V2AD, J2B, J2BD, F2BD, N2BD, R2AD TIGO-541-E1A TIO-541-A1A, E1A4, E1B4, E1C4 LIGO-540-A1C IGSO-540-A1D, A1E, A1H, B1C IO-720-A1A, A1B, B1B, C1B, D1B, B1BD, D1C
SL12795 Gasket	Textron Lycoming Part No. LW12795	FAA approved Superior Air Parts, Inc. Dwg. No. SL12795 Rev. n/c dated 03/21/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, L2A, L2C, M1, N2A, N2C, P2A O-320-A2A, A2B, A2C, A3A, A3B, A3C, B2A, B2B, B3A, B3B, B3C, D1A, D2A, D2B, D2C, E1A, E2A, E2B, E2C, E2D, E3D, E3H, B2C, D1D, D1F, D2G, D2J, D3G IO-320-B1A, B1C,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL12795 Gasket (cont'd)	Textron Lycoming Part No. LW12795	FAA approved Superior Air Parts, Inc. Dwg. No. SL12795 Rev. n/c dated 03/21/89 or later FAA approved revision.	Lycoming Eng. IO-320 (cont'd) C1A, D1A, E2A LIO-320-B1A, C1A AIO-320-B1B, C1B O-360-A1A, A1D, A1F6, A2A, A2D, A2F, A2G, A3A, A4A, A4G, A4J, A4K, C1F, F1A6, A4N IO-360-C1C, C1C6, C1D6, C1E6, C1F, A1A, A1B, A1B6, A1D6, A2B, B1E, B1F, B4A LIO-360-C1E6 TIO-360-A1B AEIO-360-B1G6 AIO-360-B1B O-540-B2C5, B4B5, E4B5, G1A5, B2B5, B2C5, B4B5, E4A5, E4B5, G1A5, G2A5 IO-540-A1A5, C4B5, D4A5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1B5, K1C5, K1E5, M1A5, N1A5, P1A5, R1A5, L1C5, K1K5 AEIO-540-D4B5 TIO-540-U2A LTIO-540-U2A
SL13323 Seat, valve spring	Textron Lycoming Part No. LW13323	FAA approved Superior Air Parts Inc. Dwg. No. SL13323 Rev. n/c dtd. 12/08/88 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL13323 Seat, valve spring (cont'd)	Textron Lycoming Part No. LW13323	FAA approved Superior Air Parts Inc. Dwg. No. SL13323 Rev. n/c dtd. 12/08/88 or later FAA approved revision.	Lycoming Eng. O-290-D, D2,D2B, D2C O-320-A2A, A2B, A2C, A3A, A3B, A3C, B2A, B2B, B3A, B3B, B3C, D1A, D2A, D2B, D2C, E1A, E2A, E2B, E2C, E2D, H2AD, B2C, D1D, D1F, D2G, D2J, D3G, A2D, E1F, E2F, E2G, E2H, E3D, E3H IO-320-B1A, B1C, C1A, D1A, E2A, D1B, E1A, E1B, E2B LIO-320-B1A, C1A AIO-320-B1B, C1B O-340-A, B TO-360-E1A6D, C1A6D LTO-360-E1A6D O-360-A1A,A1AD, A1D, A1F6, A1F6D, A1G6, A1G6D, A1LD, A2A, A2D, A2F, A2G, A3A, A3AD, A4A, A4G, A4J, A4K, A4M, A5AD, E1A6D, B2A, C1A, C1C, C1E, C1F, C2A, C2C, C2E, D2A, F1A6, A1C, A2E, C2D, D2A, D2B, C1G, A4N LO-360-E1A6D, A1G6D IO-360-B1A, B1B, C1A, C1B, C1C, C1C6, C1D6, C1E6,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL13323 Seat, valve spring (cont'd)	Textron Lycoming Part No. LW13323	FAA approved Superior Air Parts Inc. Dwg. No. SL13323 Rev. n/c dtd. 12/08/88 or later FAA approved revision.	Lycoming Eng. IO-360 (cont'd) C1F, J1A6D, B1D, B1E, B1F, B2F, B2F6, B4A HO-360-B1A, B1B HIO-360-B1A, A1A, C1A, C1B, D1A, E1AD, E1BD, F1AD LIO-360-C1E6 TIO-360-A1B AEIO-360-A1E, B1G6, H1A O-435-A, A2 O-540-B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, G1A5, H1B5D, H2B5D, J1A5D, J3A5D, J3C5D, L3C5D, A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2B, A3D5, B1A5, B1B5, B2B5, B2C5, B4B5, E4A5, E4C5, F1A5, F1B5, G1A5, G2A5 IO-540-C1B5, C4B5, C4C5, D4A5, J4A5, N1A5, R1A5, C4D5D, T4A5D, T4B5D, T4C5D, W3A5D, V4A5D TIO-540-AA1AD, AB1AD AEIO-540-D4B5
SL14234 Ring, tapered keystone	Textron Lycoming Part No. LW14234	FAA approved Superior Air Parts, Inc. Dwg. No. SL14234 Rev. n/c dtd. 10/28/88 or later FAA approved revision.	Lycoming Eng. O-235-F2A, F1B, F2B, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A, G1A, G2A

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL14235 Ring, piston conformable oil ring ass'y	Textron Lycoming Part No. LW14235	FAA approved Superior Air Parts, Inc. Dwg. No. SL14235 Rev. "NC" dtd. 10/28/88 or later FAA approved revision.	Lycoming Eng. O-235-F2A, F1B, F2B, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A, G1A, G2A
SL17235U Valve, exh. (uncoated)	Textron Lycoming Part No. LW19034	FAA approved Superior Air Parts, Inc. Dwg. No. SL17235U Rev. n/c dtd. 03/27/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A
SL18667 Pin, tach. drive	Textron Lycoming Part No. LW18667	FAA approved Superior Air Parts, Inc. Dwg. No. SL18667 Rev. n/c dtd. 11/23/88 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2B, D2C O-320-A2A, A2B, A2C, A3A, A3B, A3C, B2A, B2B, B3A, B3B, B3C, D1A, D2A, D2B, D2C, E1A, E2A, E2B, E2C, E2D, A2D, E1F, E2F, E2G, E2H, E3D, E3H, B2D, B2C, D1D, D1F, D2G, D2J, D3G IO-320-B1A, B1C, C1A, D1A, E2A, D1B, E1A, E1B, E2A, E2B LIO-320-B1A, C1A AIO-320-B1B, C1B

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

<u>NOMENCLATURE AND PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR</u>	<u>FAA DESIGN DATA AND APPROVAL MEANS</u>	<u>APPROVED FOR INSTALLATION ON</u>
SL18667 Pin, tach. drive (cont'd)	Textron Lycoming Part No. LW18667	FAA approved Superior Air Parts, Inc. Dwg. No. SL18667 Rev. n/c dtd. 11/23/88 or later FAA approved revision.	Lycoming Eng. LIO-320-B1A, C1A O-360-A1A, A1AD, A1D, A1F6, A1F6D, A1G6, A1G6D, A1LD, A2A, A2D, A2F, A2G, A3A, A3AD, A4A, A4G, A4J, A4K, A4M, A5AD, B2A, C1A, C1C, C1E, C1F, C2A, C2C, C2E, D2A, F1A5, A1C, A2E, C2D, D2B, C1G, A4N LO-360-A1G6D TO-360-C1A6D IO-360-A1A, B1A, B1B, C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D, B1B, B1D, B1E, B1F, B2F, B2F6, B4A HO-360-B1A, B1B HIO-360-A1A, B1A, C1A, C1B, D1A, E1AD, E1BD, F1AD TIO-360-C1A6D, A1B LIO-360-C1E6 AEIO-360-A1E, B1G6, H1A AIO-360-A1A, A1B, B1B VO-360-A1A, A1B, B1A IVO-360-A1A O-540-J1A5D, J3A5D, J3C5D, L3C5D, B2B5, B2C5,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

<u>NOMENCLATURE AND PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR</u>	<u>FAA DESIGN DATA AND APPROVAL MEANS</u>	<u>APPROVED FOR INSTALLATION ON</u>
SL18667 Pin, tach. drive (cont'd)	Textron Lycoming Part No. LW18667	FAA approved Superior Air Parts, Inc. Dwg. No. SL18667 Rev. n/c dtd. 11/23/88 or later FAA approved revision.	Lycoming Eng. O-540 (cont'd) B4B5, E4A5, E4B5, E4C5, G1A5, H1B5D, H2B5D, A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2B, A3D5, B1A5, B1B5, F1A5, B1B5, G1A5, G2A5 IO-540-T4A5D, T4B5D, T4C5D, K1K5, W3A5D, L1C5, C4D5D, V4A5D, A1A5, B1A5, B1C5, C1B5, C4B5, C4C5, D4A5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1B5, K1C5, K1D5, K1E5, M1A5, N1A5, P1A5, R1A5 AEIO-540-D4B5, L1B5D TIO-540-AA1AD, AB1AD, V2AD, U2A LTIO-540-V2AD, U2A IO-720-A1A, A1B, B1B, C1B, D1B, B1BD, D1C
SL18729 Piston, machined	Textron Lycoming Part No.s LW18729, LW13623, & LW13623-1	FAA approved Superior Air Parts, Inc. Dwg. No. SL18729 Rev. n/c dtd. 03/15/89 or later FAA approved revision.	Lycoming Eng. O-235-K2A, K2B, K2C, L2A, L2C, M1, M2, N2C, P1, P2A, P2C, P3C

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL60592 Gasket	Textron Lycoming Part No. 60592	FAA approved Superior Air Parts, Inc. Dwg. No. SL60592 Rev. n/c dtd. 03/21/89B or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2B, D2C
SL60820 Gasket	Textron Lycoming Part No. 60820	FAA approved Superior Air Parts, Inc. Dwg. No. SL60820 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2B, D2C O-320-A2A, A2B, A2C, A3A, A3B, A3C, B2A, B2B, B3A, B3B, B3C, B2C, A2D IO-320-E2A, E1A, E1B, E2A, E2B O-340-A, B
SL60882 Gear, ring	Textron Lycoming Part No. 60882	FAA approved Superior Air Parts, Inc. Dwg. No. SL60882 Rev. n/c dtd. 03/27/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2B, D2C O-320-A2A, A2B, A2C, A2D, A3A, A3B, A3C, B2A, B2B, B3A, B3B, D2A, D2B, E2A,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL60882 Gear, ring (cont'd)	Textron Lycoming Part No. 60882	FAA approved Superior Air Parts, Inc. Dwg. No. SL60882 Rev. n/c dtd. 03/27/89 or later FAA approved revision.	Lycoming Eng. O-320 (cont'd) E2B, E3D, E3H IO-320-E2A O-340-A, B VO-360-A1A, A1B, B1A IO-720-A1A, A1B, B1B, C1B, D1B, B1BD, D1C
SL61173 Gasket	Textron Lycoming Part No. 61173	FAA approved Superior Air Parts, Inc. Dwg. No. SL61173 Rev. n/c dtd. 03/02/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C O-290-D, D2, D2B, D2C O-320-H2AD, A2A, A2B, A2C, A3A, A3B, A3C, B2A, B2B, B3A, B3B, B3C, D1A, D2A, D2B, D2C, E1A, E2A, E2B, E2C, E2D, A2D, E1F, E2F, E2G, E2H, E3D, E3H, B2C, D1D, D1F, D2G, D3G IO-320-B1A, B1C, C1A, D1A, E2A, D1B, E1A, E1B, E2B LIO-320-B1A, C1A AIO-320-B1B, C1B O-340-A, B O-360-A1A, A1D, A1F6, A2A, A2D, A2F, A2G, A3A, A4A, A4G, A4J, A4K, B2A, C1A, C1C, C1E, C2A,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

<u>NOMENCLATURE AND PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR</u>	<u>FAA DESIGN DATA AND APPROVAL MEANS</u>	<u>APPROVED FOR INSTALLATION ON</u>
SL61173 Gasket (cont'd)	Textron Lycoming Part No. 61173	FAA approved Superior Air Parts, Inc. Dwg. No. SL61173 Rev. n/c dtd. 03/02/89 or later FAA approved revision.	Lycoming Eng. O-360 (cont'd) C2C, C2E, D2A, F1A6, A1C, A2E, C3D, D2B, C1G IO-360-A1A, B1A, B1B, C1A, C1B, C1D6, A1B, A1B6, A1C, A1D, A2A, A2B, B1B, B1D, B1E, B1F, F2F, B2F6, B4A AIO-360-A1A, A1B, B1B AEIO-360-A1E, H1A HO-360-B1A, B1B HIO-360-A1A, B1A, C1A, C1B, D1A VO-360-A1A, A1B, B1A IVO-360-A1A O-540-B2B5, B4B56, E4A5, E4C5, A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2B, A3D5, B1A5, B1B5, B2B5, B4B5, E4A5, E4B5, E4C5, F1A5, F1B5, G1A5, G2A5 IO-540-A1A5, B1A5, B1C5, C1B5, C4B5, D4C5, D4A5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, J4A5, K1A5, K1B5, K1D5 AEIO-540-D4B5
SL68972 Gasket	Textron Lycoming Part No. 68972	FAA approved Superior Air Parts, Inc. Dwg. No. SL68972 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

<u>NOMENCLATURE AND PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR</u>	<u>FAA DESIGN DATA AND APPROVAL MEANS</u>	<u>APPROVED FOR INSTALLATION ON</u>
SL68972 Gasket (cont'd)	Textron Lycoming Part No. 68972	FAA approved Superior Air Parts, Inc. Dwg. No. SL68972 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. O-235 (cont d) K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2C, D2B O-320-A2A, A2B, A2C, A3A, A3B, A3C, B2A, B2B, B3A, B3B, B3C, D1A, D2A, D2B, D2C, E1A, E2A, E2B, E2C, E2D, B2C, D1D, D1F, D2G, D2J, D3G, A2D, E1F, E2F, E2G, E2H, E3D, E3H IO-320-B1A, B1C, C1A, D1A, E2A, D1B, E1A, E1B, E2B LIO-320-B1A, C1A O-340-A, B O-360-A1A, A1AD, A1D, A1F6, A1F6D, A1G6, A1G6D, A1LD, A2A, A2D, A2F, A2G, A3A, A3AD, A4A, A4G, A4J, A4K, A4M, A5AD, A1C, A2E, A4N, B2A, C1A, C1C, C1E, C1F, C2A, C2C, C2E, D2A, F1A6, C2D, D2B, C1G LO-360-A1G6D TO-360-C1A6D IO-360-A1A, B1A, B1B, C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D, A1B, A1B6, A1B6D,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL68972 Gasket (cont'd)	Textron Lycoming Part No. 68972	FAA approved Superior Air Parts, Inc. Dwg. No. SL68972 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. IO-360 (cont'd) A1C, A1D, A1D6, A2A, A2B, A3B6D, B1B, B1D, B1E, B1F, B2F, B2F6, B4A TIO-360-C1A6D, A1B HO-360-B1A, B1B HIO-360-A1A, B1A, C1A, C1B, D1A, E1AD, E1BD, F1AD LIO-360-C1E6 AEIO-360-A1E, B1G6, H1A
SL71973 Gasket	Textron Lycoming Part No. 71973	FAA approved Superior Air Parts, Inc. Dwg. No. SL71973 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2C, D2B O-320-A2A, A2B, A2C, A3A, A3B, A3C, B2A, B2B, B3A, B3B, B3C, D1A, D2A, D2B, D2C, E1A, E2A, E2B, E2C, E2D, H2AD, B2C, D1D, D1F, D2G, D2J, D3G, A2D, E1F, E2F, E2G, E2H, E3D, E3H IO-320-B1A, B1C, C1A, D1A, E2A, D1B, E1A, E1B, E2A, E2B AIO-320-B1B, C1B

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL71973 Gasket (cont'd)	Textron Lycoming Part No. 71973	FAA approved Superior Air Parts, Inc. Dwg. No. SL71973 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. LIO-320-B1A, C1A TO-360-E1A6D LTO-360-E1A6D O-360-A1A, A1AD, A1D, A1F6, A1F6D, A1G6, A1G6D, A1LD, A2A, A2D, A2F, A2G, A3A, A3AD, A4A, A4G, A4J, A4K, A4M, A5AD, E1A6D, B2A, C1A, C1C, C1E, C1F, C2A, C2C, C2E, D2A, A1C, A2E, C2D, D2B, A4N, C1G HO-360-B1A, B1B HIO-360-A1A, B1A, C1A, C1B, D1A, E1AD, E1BD, F1AD TIO-360-C1A6D, A1B LO-360-E1A6D, A1G6D IO-360-A1A, B1A, B1B, C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D, B1D, B1E, B1F, B2F, B2F6, B4A LIO-360-C1E6 AEIO-360-A1E, B1G6, H1A AIO-360-A1A, A1B, B1B VO-360-A1A, A1B, B1A IVD-360-A1A O-340-A, B GO-435-C2, C2E,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL71973 Gasket (cont'd)	Textron Lycoming Part No. 71973	FAA approved Superior Air Parts, Inc. Dwg. No. SL71973 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. GO-435 (cont'd) C2A, C2A2, C2B, C2B1, C2B2, C2B2-6 O-435-A, A2 VO-435-A1B, A1C, A1D, A1E, A1F TVO-435-A1A, B1A GO-480-C1D6, G1A6, C1D6, G1H6, G1J6, G2D6, G2F6, G1B6, G1E6 O-540-B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, G1A5, H1B5D, H2B5D, J1A5D, J3A5D, J3C5D, L3C5D, B1B5, F1A5, F1B5, A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2B, A3D5, B1A5, G1A5, G2A5 IO-540-A1A5, B1A5, B1C5, C1B5, C4B5, C4C5, D4A5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1B5, K1C5, K1D5, K1E5, M1A5, N1A5, P1A5, R1A5, T4A5D, T4B5D, T4C5D, K1K5, W3A5D, L1C5, V4A5D, C4D5D TIO-540-AA1AD, AB1AD, V2AD, U2A LTIO-540-V2AD, U2A AEIO-540-L1B5D, D4B5 VO-540-A1A, A2A, B1A, B2A, B1B3,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL71973 Gasket (cont'd)	Textron Lycoming Part No. 71973	FAA approved Superior Air Parts, Inc. Dwg. No. SL71973 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. VO-540 (cont'd) B1C, B2C, B1D, B2D, B1E, B2E, C1A, C2A, C1B, C2B, C1C3 TIVO-540-A2A TIGO-541-E1A TIO-541-A1A, E1A4, E1B4, E1C4 IGO-540-A1A, A1C, B1A, B1C IGSO-540-A1A, A1C, A1D, A1E, A1H, B1A, B1C IO-720-A1A, A1B, B1B, C1B, D1B, B1BD, D1C
SL73818 Gasket	Textron Lycoming Part No. 73818	FAA approved Superior Air Parts, Inc. Dwg. No. SL73818 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2B, D2C O-320-A2A, A2B, A2C, A3A, A3B, A3C, B2A, B2B, B3A, B3B, B3C, D1A, D2A, D2B, D2C, E1A, E2A, E2B, E2C, E2D, B2C, D1D, D1F, D2G, D2J, D3G, A2D, E1F, E2F, E2G, E2H, E3D, E3H IO-320-B1A, B1C, C1A, D1A, E2A LIO-320-B1A, C1A

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL73818 Gasket (cont'd)	Textron Lycoming Part No. 73818	FAA approved Superior Air Parts, Inc. Dwg. No. SL73818 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. O-360-A1A, A1AD, A1D, A1F6, A1F6D, A1G6, A1G6D, A1LD, A2A, A2D, A2F, A2G, A3A, A3AD, A4A, A4B, A4J, A4K,, A4M, A5AD, B2A, C1A, C1C, C1E, C1F, C2A, C2C, C2E, D2A, F1A6, A1C, A2E, C2D, D2B, C1G, A4N LO-360-A1G6D TO-360-C1A6D IO-360-A1A, B1A, B1B, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D, B1D, B1E, B1F, B2F, B2F6, B4A HIO-360-B1A, B1B TIO-360-C1A6D AIO-360-A1A, A1B, B1B O-540-B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, G1A5, H1B5D, H2B5D, J1A5D, J3A5D, J3C5D, L3C5D, A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2B, A3D5, B1A5, B1C5, C1B5, C4B5, C4C5, D4A5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1B5, K1C5, K1D5, K1E5, M1A5, N1A5, P1A5, R1A5,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

<u>NOMENCLATURE AND PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR</u>	<u>FAA DESIGN DATA AND APPROVAL MEANS</u>	<u>APPROVED FOR INSTALLATION ON</u>
SL73818 Gasket (cont'd)	Textron Lycoming Part No. 73818	FAA approved Superior Air Parts, Inc. Dwg. No. SL73818 Rev. n/c dtd. 03/21/89 or later FAA approved revision.	Lycoming Eng. O-540 (cont'd) C4D5D, V4A5D, L1C5, W3A5D, K1K5, T4A5D, T4B5D, T4C5D T1O-540-V2AD, AB1AD, AA1AD, U2A LT1O-540-V2AD, U2A AE1O-540-D4B5, L1B5D IO-720-A1A, A1B, B1B, C1B, D1B, D1BD, D1C
SL75706 Camshaft	Textron Lycoming Part No. 75706	FAA approved Superior Air Parts, Inc. Dwg. No. SL75706 Rev. n/c dtd. 02/22/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D
SL75708 Shaft, tach. drive ass'y	Textron Lycoming Part No. 75708	FAA approved Superior Air Parts, Inc. Dwg. No. SL75708 Rev. n/c dated 11/23/88 or later FAA approved revision.	Lycoming Eng. O-235-C1C, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2B, D2C VO-360-A1A, A1B, B1A IVO-360-A1A
SL76026 Belt, V	Textron Lycoming Part No. 76026	FAA approved Superior Air Parts, Inc. dwg. No. SL76026 Rev. n/c dated 3/02/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B,

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL76026 Belt, V (cont'd)	Textron Lycoming Part No. 76026	FAA approved Superior Air Parts, Inc. dwg. No. SL76026 Rev. n/c dated 3/02/89 or later FAA approved revision.	Lycoming Eng. O-325 (cont'd) K2C, L2A, L2C, M1, N2A, N2C O-290-D, D2, D2B, D2C O-320-A2B, A3B, B2B, B3B, D1A, D2A, D2C, E1A, E2A, E2B, E2C, A2C, A2D, E1F, E2D, E2F, E2G, E3D, G2C, D1A, D1D, D1F, D2B, D2G IO-320-B1C, D1A, E2A, B1A, D1B, E1A, E1B, E2A, E2B AIO-320-B1B, C1B O-360-A1A, A1AD, A1D, A1F6, A1F6D, A1G6, A1LD, A2A, A2D, A2F, A2G, A3A, A3AD, A4A, A5AD, C1G, C1A, C1E, C1F, C2A, C2C, C2E, D2A TIO-360-C1A6D, A1B IO-360-C1B, C1C, C1D6, C1F, J1A6D, A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D, B1B, B1D, B1E, B1F, F2F, B2F6, F4A, B1A HIO-360-A1A, C1A, C1B, E1AD, E1BD, F1AD AEIO-360-A1E, B1G6, H1A AIO-360-A1A, A1B, B1B

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	APPROVED FOR INSTALLATION ON
SL76026 Belt, V (cont'd)	Textron Lycoming Part No. 76026	FAA approved Superior Air Parts, Inc. dwg. No. SL76026 Rev. n/c dated 3/02/89 or later FAA approved revision.	Lycoming Eng. TIO-360-L1A6D O-540-J1A5D, B2B5, B4B5, E4A5, E4C5, E4B5 IO-540-A1A5, C4B5, C4C5, D4A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1B5, K1C5, K1D5, K1E5, V4A5D, C4D5D, T4A5D, T4B5D, K1K5 AEIO-540-D4B5, L1B5D TIO-540-AA1AD, ABA1D, V2AD IO-720-A1A, A1B, B1B, C1B, D1B, D1C
SL78531 Housing, oil pump	Textron Lycoming Part No. 78531	FAA approved Superior Air Parts, Inc. Drawing No. SL78531 Rev. n/c dated 2/8/89 or later FAA approved revision.	Lycoming Eng. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2B, D2C O-360-C1G IO-540-L1C5, K1K5

PRODUCTION APPROVAL LISTING - SUPPLEMENT 87, REV. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

Superior Air Parts, Inc.

<u>NOMENCLATURE AND PART NUMBER</u>	<u>APPROVED REPLACEMENT FOR</u>	<u>FAA DESIGN DATA AND APPROVAL MEANS</u>	<u>APPROVED FOR INSTALLATION ON</u>
SL78531 Housing, oil pump (cont'd)	Textron Lycoming Part No. 78531	FAA approved Superior Air Parts, Inc. Dwg. No. SL78531 Rev. n/c dated 2/8/89 or later FAA approved revision.	Lycoming Eng. AEIU-540-D4B5

END OF LISTING


Allen K. Griggs

7-12-95
Date

Date amended: 09/09/9

Date of original issue: 04/05/79

This supplement is an attachment to FAA-PMA letter dated 06/11/79.