

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 93
FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

SUPERIOR AIR PARTS, INC.

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL13S19649 Gear	Replacement for Lycoming Part No. 13S19649	FAA approved Superior Air Parts, Inc. Dwg. No. SL13S19649 Rev. n/c dtd. 08/18/89 or later FAA approved revision.	LYCOMING ENG. O-360-A1AD, A1F6D, A1G6D, A1LD, A3AD, A5AD LO-360-A1G6D IO-360-J1A6D, A1B6D, A3B6D TO-360-C1A6D AEIO-540L1B5D HIO-360-E1AD, E1BD, F1AD TIO-360-C1A6D O-540-H1B5D, H2B5D, J1A5D, J3A5D, J3C5D, L3C5D IO-540-C4D5D, K1A5D, K1F5D, K1G5D, K1J5D, M1B5D, T4A5D, T4B5D, T4C5D, V4A5D, W1A5D W3A5D TIO-540-AB1AD, M1B5D, T4C5D V2AD, W1A5D LTIO-540-F2BD, J2BD, N2BD, R2AD, V2AD IO-720-B1BD

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 23 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL10292 ✓ Gear, crank idler	Replacement for Lycoming Part No. LW-10292	FAA approved Superior Air Parts, Inc., Dwg. No. SL10292 Rev. A dtd. 12/28/90 or later FAA approved revision.	LYCOMING ENG. TIO-540-F2BD, J2BD, N2BD, R2AD, S1AD, V2AD, AA1AD, AB1AD LTIO-540-F2BD, J2BD, N2BD, R2AD, V2AD IO-540-K1A5D, K1F5D AEIO-540-L1B5D
SL10321 ✓ Spring	Replacement for Lycoming Part No. LW10321	FAA approved Superior Air Parts, Inc., Dwg. No. SL10321 Rev. n/c dtd. 09/08/89 or later FAA approved revision.	LYCOMING ENG. O-360-A1AD, A1F6D, A1G6D, A1LD, A3AD, A5AD IO-360-A1B6D, A3B6D, J1A6D HIO-360-E1AD, E1BD, F1AD LO-360-A1G6D TO-360-C1A6D TIO-360-C1A6D O-540-H1B5D, H2B5D, J1A5D, J3A5D, J3C5D, L3C5D IO-540-C4D5D, K1A5D, K1F5D, K1G5D, K1J5D, M1B5D, T4A5D, T4B5D, T4C5D, V4A5D, W3A5D AEIO-540-L1B5D TIO-540-F2BD, J2BD, N2BD, R2AD, S1AD, AA1AD, AB1AD

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL10321 Spring (cont'd)	Lycoming Part No. SL10321	FAA approved Dwg. SL10321 Rev. n/c dtd. 09/08/89 or later FAA approved revision.	LYCOMING ENG. LT10-540- F2BD, J2BD, N2BD, R2AD IO-720-B1BD, D1CD
SL10647 Dowel	Replacement for Lycoming Part No. LW-10647	FAA approved Superior Air Parts, Inc., Dwg. No. SL10647 Rev. n/c dtd. 08/31/89 or later FAA approved revision.	LYCOMING ENG. O-320-B2A, B2B, B3A, B3B, B3C, D1A, D1F, D2A, D2B, D2C, E1A, E1F, E2A, E2C, E2F, E2B, E2D IO-320-B1A, B1C C1A, D1A, D1B, E1A, E1B, E2A AIO-320-B1B, C1B LIO-320-B1A, C1A O-360-A1A, A1AD, A1C, A1D, A1F6, A1F6D, A1G6, A1G6D, A1LD, A2A, A2D, A2E, A2F, A2G, A3A, A3AD, A4A, A4G, A4J, A4K, A4M, A5AD, B2A, C1A, C1C, C1E, C1F, C2A, C2C, C2D, D2A, D2B, F1A6 IO-360-A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D, B1A, B1B, B1D, B1E, B1F, B2F, B2F6, B4A, C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D AIO-360-A1A, A1B, B1B

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL10647 Dowel (cont'd)	Lycoming Part No. LW10647	FAA approved Dwg. No. SL10647 Rev. n/c dtd. 08/31/89 or later FAA approved revision.	LYCOMING ENG. LIO-360-C1E8 HIO-360-A1A, B1A, C1A, C1B, D1A, E1AD, E1BD TIO-360-A1B AEIO-360-A1E, B1G6, H1A LO-360-A1G6D HO-360-B1A, B1B VO-360-A1A, A1B, B1A GO-480-C1D6, G1A6, G1D6, G1H6, G1J6, G2D6, G2F6, G1B6, G1E6 O-540-A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2B, A3D5, B1A5, B1B5 O-540-B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, F1A5, F1B5, G1A5, G2A5, H1B5D IO-540-A1A5, B1A5, B1C5, C1B5, C4B5, C4C5, C4D5, D4A5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1A5D, K1B5, K1C5, K1D5, K1E5, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER _____	APPROVED REPLACEMENT FOR _____	FAA DESIGN DATA AND APPROVAL MEANS _____	ELIGIBLE FOR INSTALLATION ON _____
SL10647 Dowel (cont'd)	Lycoming Part No. LW10647	FAA approved Dwg. No. SL10647 Rev. n/c dtd. 08/31/89 or later FAA approved revision.	LYCOMING ENG. M1A5, N1A5, P1A5, R1A5, S1A5, T4A5D, T4B5D, AA1A5 TIO-540-A1A, A1B, A2A, A2B, A2C, C1A, E1A, G1A, H1A, J2B, F2BD, J2BD, N2BD, R2AD LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD TIGQ-541-E1A IGQ-540-A1A, A1C, B1A, B1C IGSO-540-A1A, A1C, A1D, A1E, A1H, B1A, B1C AEIO-540-D4B5 TIO-541-E1A4, E1B4, E1C4 IO-720-A1A, A1B, B1B, C1B, D1B LYCOMING ENG. O-360-A1AD, A1F6D, A1G6D, A1LD, A3AD, A5AD IO-360-A1B6D, A3B6D, J1A6D TO-360-C1A6D TIO-360-C1A6D HIO-360-E1AD, E1BD, F1AD LO-360-A1G6D O-540-H1B5D, H2B5D, J1A5D,
SL13641 ✓ Cushion, mag.	Replacement for Lycoming Part No. LW-13641	FAA approved Superior Air Parts, Inc., Dwg. No. SL13641 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL13641 Cushion, mag. (cont'd)	Lycoming Part No. LW-13641	FAA approved Dwg. No. SL13641 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	LYCOMING ENG. J3A5D, J3C5D, L3C5D IO-540-C4D5D, T4A5D, T4B5D, T4C5D, V4A5D, W3A5D, L1C5 TIO-540-F2BD, J2BD, N2BD, R2AD, S1AD, V2AD, AB1AD, AA1AD LTIO-540-F2BD, J2BD, N2BD, R2AD, V2AD AEIO-540-D4B5, L1B5D IO-720-B1BD
SL19340 ✓ Camshaft	Replacement for Lycoming Part No. LW-19340	FAA approved Superior Air Parts, Inc., Dwg. No. SL19340 Rev. B dtd. 07/13/90 or later FAA approved revision.	LYCOMING ENG. O-540-A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2B A3D5, B1A5, B1B5, B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, F1A5, F1B5, G1A5, G2A5, H1B5D, H2B5D IO-540-A1A5, B1A5, B1C5, C1B5, C4B5, C4C5, C4D5D, D4A5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1B5, K1C5, K1D5, K1E5, K1K5, K1A5D, K1F5, K1F5D, K1G5D, K1J5, K1J5D, M1A5, N1A5, P1A5, R1A5, S1A5, T4A5D,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 73 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL19340 Camshaft (cont'd)	Lycoming Part No. LW-19340	FAA approved Dwg. SL19340 Rev. B dtd. 07/13/90 or later FAA approved revision.	LYCOMING ENG. T4B5D T1D-540-A1A, A1B, A2A, A2B, A2C, C1A, E1A, F2B, G1A, H1A, J2B, J2BD, N2BD, R2AD, S1AD, U2A, V2AD AE1D-540-D4B5, L1B5D O-540-J1A5D, J3A5D, J3C5D, L3C5D I1D-540-V4A5D, W1A5D, L1C5, T4A5D, T4B5D, T4C5D, W3A5D T1D-540-AA1AD, AB1AD
SL3601-A ✓ Ring, piston	Replacement for Lycoming Part No. 74241	FAA approved Superior Air Parts, Inc., Dwg. No. SL3601-A Rev. n/c dtd. 10/27/89 or later FAA approved revision.	LYCOMING ENG. O-320-B1A, B1B, B2A, B2B, B2C, B3B, B3C, D1A, D1AD, D1C, D1D, D1F, D2A, D2B, D2C, D2G, D2J, D3G, E2A, E2C, H2AD, H3AD I1D-320-B1A, B1C, B1D, B2A, C1A, C1F, D1A, D1AD, D1B, E1A, E1B, E2A, E2B A1D-320-A1B, B1B, C1B AE1D-320-D1B, D2B, E1A, E1B, E2A, E2B L1D-320-B1A, C1A O-340-A SERIES O-360-A1A, A1AD, A1C, A1D, A1F,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL3601-A Ring, piston (cont'd)	Lycoming Part No. 74241	FAA approved Dwg. No. SL3601-A Rev. n/c dtd. 10/27/89 or later FAA approved revision.	LYCOMING ENG. A1F6, A1F6D, A1G, A1G6, A1G6D, A1H, A1J, A1LD, A2A, A2D, A2E, A2F, A2G, A3A, A3AD, A4AD, A4D, A4G, A4J, A4JD, A4K, A4M, A4N, A5AD, B2A, C1A, C1C, C1E, C1F, C1G, C2A, C2C, C2D, C2E, D2A, D2B, E1AD, E1A6D, F1A6 IO-360-A1A, A1B, A1B6, A1B6D, A3B6D, A1C, A1C6, A1D, A1D6, A2A, A2B, A2C, B, B1A, B1B, B1BD, B1D, B1E, B1F, B2E, B2F, B2F6, B4A, C1A, C1B, C1C, C1C6, C1D6, C1E6, C1E6D, C1F, D1A, J1A6D, K2A HIO-360-A1A, B1A, C1A, C1B, D1A, E1AD, E1BD, F1AD HO-360-A1A, B1A, B1B LHIO-360-C1A LIO-360-C1E, C1E6, C1E6D LO-360-A1G6D, E1A6D, E1AD AEIO-360-A1A, A1B, A1B6, A1D, A1E, A2B, B, B1F, B1G6, B2F, B4A, H1A AIO-360-A1A, A1B, B1B

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL3601-A Ring, piston (cont'd)	Replacement for Lycoming Part No. 74241	FAA approved Superior Air Parts, Inc., Dwg. No. SL3601-A Rev. n/c dtd. 10/27/89 or later FAA approved revision.	LYCOMING ENG. TIO-360-A1B, A3B6, C1A6D, F1A6D LTO-360-E1AD, E16AD TO-360-C1A6D, E1AD, E1A6D, F1A6D IVO-360-A1A VO-360-A1A, A1B, B1A GO-480-B1, B, B1A6, B1B, B1C, B1D, C1B6, C1D6, C2, D1A, D1B, F1A6, F2A6, F4A6, F6, G1A6, G1B6, B1D6, G1E6, G1F6, G1G6, G1J6, G2D6, G2F6 GSO-480-A1A, A1A6, A2A6, A1C6, B1A6, B1B3, B1B6, B1C6, B1E6, B1J6, B2D6 IGSO-480- A1A6, A1B6, A1C6, A1E6, A1F6 O-540-A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2B, A3D5, A4A5, A4B5, A4D5, B1A5, B1B5, B2A5, B2B5, B2C5, B4B5, B4B5D, E1A, E4A5, E4B5D, E4B5, E4C5, F1A5, F1B5, G1A5, G1A5D,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL3601-A Ring, piston (cont'd)	Replacement for Lycoming Part No. 74241	FAA approved Superior Air Parts, Inc., Dwg. No. SL3601-A Rev. n/c dtd. 10/27/89 or later FAA approved revision.	LYCOMING ENG. G2A5, H1B5D, H2B5D, J1A5D, J1C5D, J2A5D, J3A5D, J3C5D, L3C5D IO-540-A1A5, AA1A5, B1A5, B1C5, C1B5, C1C5, C2C, C4B5, C4B5D, C4C5, C4D5D, D4A5, D4B5, D4C5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1A5D, K1B5, K1C5, K1D5, K1E5, K1F5, K1F5D, K1G5, K1G5D, K1H5, K1J5, K1J5D, K1K5, L1A5, L1A5D, L1C5, M1A5D, M1B5, M1B5D, N1A5, N1A5D, P1A5, R1A5, S1A5, T4A5D, T4B5D, T4C5D, U1A5D, U1B5D, V4A5D, W1A5D, W3A5D AEIO-540-D4A5, D4B5, L1B5D TIO-540-A1A, A1B, AA1AD, AB1AD, A2A, A2C, C1A, C1AD, E1A, E1A4, E1B4, E1C4, E1D4, F2BD, H1A, J2B, J2BD, N2BD, R2AD, S1AD, T2AD, U2A, V2AD LTIO-540-F2BD, J2B, J2BD, N2BD, R2AD,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL3601-A Ring, piston (cont'd)	Lycoming Part No. 74241	FAA approved Dwg. No. SL3601-A Rev. n/c dtd. 10/27/89 or later FAA approved revision.	LYCOMING ENG. U2A, V2AD IGO-540-A1A, A1C, B1A, B1C IGSO-540-A1A, A1C, A1D, A1E, A1H, B1A, B1C VO-540-A1A, B1A, B1B, B1B3, B1C, B1D, B1F, B1G, B2D, C1A, C1B, C1C3, C2A, C2C IVO-540-A1A TIVO-540-A2A, A2B TVO-540-A1A TIO-541-A1A, E1A4, E1B4, E1C4, E1D4 TIGO-541-D1B, E1A IO-720-A1A, A1B, B1B, B1BD, C1B, D1B, D1C, D1CD LYCOMING ENG. IO-360-A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D AIO-360-A1A, A1B, B1E AEIO-360-A1E HIO-360-A1A, C1A, C1B, D1A, E1AD, E1BD, F1AD
SL66728 Washer	Replacement for Lycoming Part No. 66728	FAA approved Superior Air Parts, Inc., Dwg. No. SL66728 Rev. n/c dtd. 08/24/89 or later FAA approved revision.	

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 73 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL66728 Washer (cont'd)	Replacement for Lycoming Part No. 66728	FAA approved Superior Air Parts, Inc., Dwg. No. SL66728 Rev. n/c dtd. 08/24/89 or later FAA approved revision.	LYCOMING ENG. LIO-360-C1E6 TIO-360-A1B GO-435-C2, C2E, C2A, C2A2, C2B, C2B1, C2B2, C2B26 VO-435-A1B, A1C, A1D, A1E, A1F TVO-435-A1A, B1A, D1A, D1B, F1A, G1A GO-480-B, B1A6, B1B, B1C, B1D, D1A, F6, F1A6, F2A6, F4A6 GO-480-C1D6, G1A6, G1D6, G1H6, G1J6, G2D6, G2F6, G1B6, G1E6 IO-540-A1A5, B1A5, B1C5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, K1A5, K1B5, K1C5, K1D5, K1E5, M1A5, P1A5, K1A5D, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, K1K5, L1C5, M1B5D, S1A5 AA1A5, L1C5 AEIO-540-L1B5D IGSO-540-A1A, A1C, A1D, A1E, A1H, B1A, B1C VO-540-A1A, A2A, B1A, B2A, B1B3, B1C, B2C, B1D, B2D, C1A,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT ON	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL66738 Washer (cont'd)	Lycoming Part No. 66728	FAA approved Dwg. No. SL66728 Rev. n/c dtd. 08/24/89 or later FAA approved revision.	LYCOMING ENG. C2A, C1B, C2B IVO-540-A1A TIVO-540-A2A IGO-540-A1A, A1C, B1A, B1C TIO-540-A1A, A1B, A2A, A2B, A2C, J2B, F2BD, J2BD, N2BD, R2AD, S1AD, U2A LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD, U2A TIO-541-A1A IO-720-A1A, A1B, B1B, C1B, D1B, D1C, B1BD, D1CD LYCOMING ENG. O-235-C2A O-290-D, D2, D2B O-320-A2A, A2B, A2C, A2D, A3A, A3B, A3C, B2A, B2B, B2C, B3A, B3B, B3C, D1A, D1D, D1F, D2A, D2B, D2C, D2G, D2J, D3G, E1A, E2A, E1F, E2B, E2C, E2D, E2F, E2G, E2H, E3D, E3H, H2AD IO-320-B1A, B1C, C1A, D1A, D1B, E2A AIO-320-B1B, C1B O-360-A1A, A1AD, A1C, A1D, A1F6, A1F6D,
SL72566 Gear, starter ring	Replacement for Lycoming Part No. 72566	FAA approved Superior Air Parts, Inc., Dwg. No. SL72566 Rev. n/c dtd. 08/03/89 or later FAA approved revision.	

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER _____	APPROVED REPLACEMENT FOR _____	FAA DESIGN DATA AND APPROVAL MEANS _____	ELIGIBLE FOR INSTALLATION ON _____
SL72566 Gear, starter ring (cont'd)	Lycoming Part No. 72566	FAA approved Dwg. No. SL72566 Rev. n/c dtd. 08/08/89 or later FAA approved revision.	LYCOMING ENG. A1G6, A1G6D, A1LD, A2A, A2D, A2E, A2F, A2G, A3A, A3AD, A4A, A4G, A4J, A4K, A4M, A4N, A5AD O-360-B2A, C1A, C1C, C1E, C1F, C1G, C2A, C2C, C2D, C2E, D2A, D2B, E1A6D, F1A6 IO-360-A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D, B1A, B1B, B1D, B1E, B1F, B2F, B2F6, B4A IO-360-C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D HO-360-B1A, B1B HIO-360-A1A, B1A, C1A, C1B, D1A, E1AD, E1BD, F1AD IVO-360-A1A VO-360-A1A, A1B, B1A TO-360-C1A6D, E1A6D AEIO-360-A1E, B1G6, H1A TIO-360-A1B, C1A6D AIO-360-A1A, A1B, B1B O-540-A1A, A1A5, A1B5, A1C5, A1D,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER _____	APPROVED REPLACEMENT FOR _____	FAA DESIGN DATA AND APPROVAL MEANS _____	ELIGIBLE FOR INSTALLATION ON _____
SL72566 Gear, starter ring (cont'd)	Lycoming Part No. 72566	FAA approved Dwg. No. SL72566 Rev. n/c dtd. 08/03/89 or later FAA approved revision.	LYCOMING ENG. A1D5, A2B, A3D5, B1A5, B1B5, B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, F1A5, F1B5, G1A5, G2A5, H1B5D, H2B5D O-540-J1A5D, J3A5D, J3C5D, L3C5D IO-540-A1A5, B1A5, B1C5, C1B5, C4B5, C4C5, D4A5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1A5D, K1B5, K1C5, K1D5, K1E5, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, K1K5, M1A5, M1B5D, N1A5, P1A5, R1A5, S1A5, T4A5D, T4B5D, T4C5D, W1A5D, AA1A5, C4D5D, L1C5, V4A5D TIO-540-A1A, A1B, A2A, A2B, A2C, C1A, E1A, G1A, H1A, J2B, F2BD, J2BD, N2BD, R2AD, S1AD, V2AD AA1AD, AB1AD AEIO-540-D4B5, L1B5D TIO-541-A1A, E1A4, E1B4, E1C4

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 23 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL73445 ✓ Push rod	Replacement for Lycoming Part No. 73445	FAA approved Superior Air Parts, Inc., Dwg. No. SL73445 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. TIO-540-A1A, A1B, A2A, A2B, A2C, J2B, F2BD, J2BD, N2BD, R2AD, S1AD LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD IO-540-B1A5, B1C5, E1A5, E1B5, M1A5, M1B5D, AA1A5 IO-720-B1B, B1BD
SL73446 ✓ Push rod	Replacement for Lycoming Part No. 73446	FAA approved Superior Air Parts, Inc. Dwg. No. SL73446 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. TIO-540-A1A, A1B, A2A, A2B, A2C IO-540-B1A5, B1C5, E1A5, E1B5, M1A5, M1B5D, AA1A5 IO-720-B1B, B1BD
SL73447 ✓ Push rod	Replacement for Lycoming Part No. 73447	FAA approved Superior Air Parts, Inc., Dwg. No. SL73447 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. TIO-540-A1A, A1B, A2A, A2B, A2C, J2B, F2BD, J2BD, N2BD, R2AD, S1AD LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD IO-540-B1A5, B1C5, E1A5, E1B5, M1A5, M1B5D, AA1A5 IO-720-B1B, B1BD

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL73448 ✓ Push rod	Replacement for Lycoming Part No. 73448	FAA approved Superior Air Parts, Inc., Dwg. No. SL73448 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. TIO-540-A1A, A1B, A2A, A2B, A2C, J2B, F2BD, J2BD, N2BD, R2AD, S1AD LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD IO-540-B1A5, B1C5, E1A5, E1B5, M1A5, M1B5D, AA1A5 IO-720-B1B, B1BD
SL73455 Push rod	Replacement for Lycoming Part No. 73455	FAA approved Superior Air Parts, Inc., Dwg. No. SL73455 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. IO-360-A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D IO-360-C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D LIO-360-C1E6 HIO-360-A1A, C1A, C1B, E1AD, E1BD AIO-360-A1A, A1B, B1B TIO-360-A1B AEIO-360-A1E IO-540-B1A5, B1C5, E1A5, E1B5, M1A5, A1A5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, K1A5, K1B5, K1C5, K1D5, K1E5, P1A5, K1A5D, K1F5, K1F5D, K1G5, K1G5D,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL73455 Push rod (cont'd)	Lycoming Part No. 73455	FAA approved Dwg. No. SL73455 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. K1J5, K1J5D, S1A5, AA1A5, M1B5D, W1A5D, K1K5 IO-540-L1C5 TIO-540-A1A, A1B, A2A, A2B, A2C, J2B, F2BD, J2BD, N2BD, R2AD, S1AD, U2A LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD, U2A AEIO-540-L1B5D IO-720-A1A, A1B, B1B, C1B, D1B, B1BD, D1C, D1CD LYCOMING ENG. IO-360-A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D IO-360-C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D LIO-360-C1E6 HIO-360-A1A, C1A, C1B, E1AD, E1BD AIO-360-A1A, A1B, B1B TIO-360-A1B AEIO-360-A1E IO-540-B1A5, B1C5, E1A5, E1B5, M1A5, A1A5, G1A5, G1B5, G1C5,
SL73456 Push rod	Replacement for Lycoming Part No. 73456	FAA approved Superior Air Parts, Inc., Dwg. No. SL73456 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL73456 Push rod (cont'd)	Lycoming Part No. 73456	FAA approved Dwg. No. SL73456 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. G1D5, G1E5, G1F5, K1A5, K1B5, K1C5, K1D5, K1E5, P1A5, K1A5D, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, L1C5, S1A5, AA1A5, M1B5D, W1A5D, K1K5 TIO-540-A1A, A1B, A2A, A2B, A2C, J2B, F2BD, J2BD, N2BD, R2AD, S1AD, U2A LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD, U2A AEIO-540-L1B5D IO-720-A1A, A1B, B1B, C1B, D1B, B1BD, D1C, D1CD

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 93 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL73457 ✓ Push rod	Replacement for Lycoming Part No. 73457	FAA approved Superior Air Parts, Inc., Dwg. No. SL73457 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. IO-360-A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D IO-360-C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D LIO-360-C1E6 HIO-360-A1A, C1A, C1B, E1AD, E1BD AIO-360-A1A, A1B, B1B TIO-360-A1B AEIO-360-A1E IO-540-B1A5, B1C5, E1A5, E1B5, M1A5, A1A5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, K1A5, K1B5, K1C5, K1D5, K1E5, P1A5, K1A5D, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, S1A5, AA1A5, M1B5D, W1A5D, K1K5 IO-540-L1C5 TIO-540-A1A, A1B, A2A, A2B, A2C, J2B, F2BD, J2BD, N2BD, R2AD, S1AD, U2A LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD, U2A

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL73457 Push rod (cont'd)	Lycoming Part No. 73457	FAA approved Dwg. No. SL73457 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. AEIO-540-L1B5D IO-720-A1A, A1B, B1B, C1B, D1B, B1BD, D1C, D1CD
SL73458 ✓ Push rod	Replacement for Lycoming Part No. 73458	FAA approved Superior Air Parts, Inc., Dwg. No. SL73458 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. IO-360-A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D IO-360-C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D LIO-360-C1E6 HIO-360-A1A, C1A C1B, E1AD, E1BD AIO-360-A1A, A1B, B1B TIO-360-A1B AEIO-360-A1E IO-540-B1A5, B1C5, E1A5, E1B5, M1A5, A1A5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, K1A5, K1B5, K1C5, K1D5, K1E5, P1A5 K1A5D, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, S1A5, AA1A5, M1B5D, W1A5D, K1K5 L1C5 TIO-540-A1A, A1B, A2A, A2B, A2C, J2B, F2BD, J2BD, N2BD, R2AD, S1AD, U2A

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL73458 Push rod (cont'd)	Lycoming Part No. 73458	FAA approved Dwg. No. SL73458 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD, U2A AEIO-540-L1B5D IO-720-B1B, C1B, A1A, B1BD, D1B, A1B, D1C, D1CD
SL73648 ✓ Roller, ctw.	Replacement for Lycoming Part No. 73648	FAA approved Superior Air Parts, Inc., Dwg. No. SL73648 Rev. n/c dtd. 08/18/89 or later FAA approved revision.	LYCOMING ENG. IO-540-K1A5, K1A5D, K1B5, K1C5, K1D5, K1E5, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, K1K5, L1C5D, M1A5, M1B5D, N1A5, R1A5, S1A5, AA1A5 AEIO-540-L1B5D TIO-540-A1A, A1B, A2A, A2B, A2C, J2B, F2BD, J2BD, N2BD, R2AD, S1AD LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD IO-720-A1A, A1B, B1B, B1BD, C1B, D1B, D1C, D1CD
SL75060 ✓ Bolt, rod	Replacement for Lycoming Part No. 75060	FAA approved Superior Air Parts, Inc., Dwg. No. SL75060 Rev. n/c dtd. 04/27/89 or later FAA approved revision.	LYCOMING ENG. O-360-A1A, A1AD, A1C, A1D, A1F6, A1F6D, A1G6, A1G6D, A1LD, A2A, A2D, A2E, A2F, A2G, A3A, A3AD, A4A, A4G, A4J, A4K, A4M, A4N, A5AD, B2A, C1A, C1C, C1E, C1F, C1G, C2A, C2C, C2D,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL75060 Bolt, rod (cont'd)	Lycoming Part No. 75060	FAA approved Dwg. No. SL75060 Rev. n/c dtd. 04/27/89 or later FAA approved revision.	C2E, D2A, D2B, F1A6 IO-360-A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D, B1A, B1B, B1D, B1E, B1F, B2F, B2F6, B4A, C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D AIO-360-A1A, A1B, B1B LO-360-A1G6D HO-360-B1A, B1B HIO-360-A1A, B1A, C1A, C1B, E1AD, E1BD LIO-360-C1E6 TIO-360-A1B AEIO-360-A1E, B1G6, H1A O-540-A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2E, A3D5, B1A5, B1B5, B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, F1A5, F1B5, G1A5, G2A5, H1B5D, H2B5D, J1A5D, J3A5D, J3C5D, L3C5D IO-540-A1A5, B1A5, B1C5, C1B5, C4B5, C4C5, C4D5D, D4A5, E1A5, E1B5, G1A5,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 03 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL75060 Bolt, rod (cont'd)	Lycoming Part No. 75060	FAA approved Dwg. No. SL75060 Rev. n/c dtd. 04/27/89 or later FAA approved revision.	LYCOMING ENG. G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1A5D, K1B5, K1C5, K1D5, K1E5, K1K5, M1A5, N1A5, P1A5, R1A5, T4C5D IO-540-K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, K1K5, M1A5, M1B5D, N1A5, P1A5, R1A5, S1A5, T4A5D, T4B5D, T4C5D, V4A5D, W1A5D, W3A5D, AA1A5 TIO-540-A1A, A1B, A2A, A2B, A2C, C1A, E1A, G1A, H1A, J2B, F2BD, J2BD, N2BD, R2AD, S1AD, AA1AD, AB1AD LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD IVO-540-A1A AEIO-540-D4B5 TIO-541-A1A, E1A4, E1B4, E1C4 IO-720-A1A, A1B, B1B, C1B, D1B, LYCOMING ENG. O-540-A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2B, A3D5, B1A5, B1B5, B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, F1A5,
SL76155 Shaft, tach.	Replacement for Lycoming Part No. 76155	FAA approved Superior Air Parts, Inc., Dwg. No. SL76155 Rev. n/c dtd. 06/30/89 or later FAA approved revision.	

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER _____	APPROVED REPLACEMENT FOR _____	FAA DESIGN DATA AND APPROVAL MEANS _____	ELIGIBLE FOR INSTALLATION ON _____
SL76155 Shaft, tach. (cont'd)	Lycoming Part No. 76155	FAA approved Dwg. No. SL76155 Rev. n/c dtd. 06/30/89 or later FAA approved revision.	LYCOMING ENG. F1B5, G1A5, G2A5, H1B5D, H2B5D, J1A5A, J3A5D, J3C5D, L3C5D IO-540-A1A5, B1A5, B1C5, C1B5, C4B5, C4C5, C4D5D, D4A5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1A5D, K1B5, K1C5, K1D5, K1E5, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, K1K5, L1C5, M1A5, M1B5D, N1A5, F1A5, R1A5, S1A5 IO-540-T4A5D, T4B5D, T4C5D, V4A5D, W1A5D, W3A5D, AA1A5 TIO-540-A1A, A1B, A2A, A2B, A2C, C1A, E1A, G1A, H1A, J2B, F2DB, J2BD, N2BD, R2AD, S1AD TIO-540-AA1AD, AB1AD TIO-540-U2A, V2AD LTIO-540-U2A, V2AD AEIO-540-D4B5, L1B5D LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 93 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL76788 ✓ Roller, ctw.	Replacement for Lycoming Part No. 76788	FAA approved Superior Air Parts, Inc., Dwg. No. SL76788 Rev. n/c dtd. 08/18/89 or later FAA approved revision.	LYCOMING ENG. O-540-J3A5D, J3C5D, L3C5D IO-540-K1A5, K1A5D, K1B5, K1C5, K1D5, K1E5, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, K1K5, L1C5, M1A5, M1B5D, N1A5, R1A5, S1A5, W3A5D, AA1A5 TIO-540-A1A, A1B, A2A, A2B, A2C, J2B, F2BD, J2BD, N2BD, R2AD, S1AD, U2A, V2AD LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD LTIO-540-U2A, V2AD AEIO-540-L1B5D
SL78629 ✓ Bearing, ball	Replacement for Lycoming Part No. 78629	FAA approved Superior Air Parts, Inc., Dwg. No. SL78629 Rev. n/c dtd. 08/31/89 or later FAA approved revision.	LYCOMING ENG. IO-320-B1A, B1C, C1A LIO-320-B1A, C1A TIO-360-C1A6D IO-540-E1B5, G1B5, K1A5, K1C5, K1F5, K1J5, L1C5, M1A5, P1A5, S1A5, T4C5D TIO-540-A1A, A1B, A2A, A2B, A2C, J2B, F2BD, J2BD, N2BD, R2AD, U2A, V2AD LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD, U2A, V2AD

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 93 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL78629 Bearing, ball (cont'd)	Lycoming Part No. 78629	FAA approved Dwg. No. SL78629 Rev. n/c dtd. 08/31/89 or later FAA approved revision.	LYCOMING ENG. IO-720-A1B, B1B, C1B, D1B, D1BD
SL-STD-1420 ✓ Nut, hex slotted	Replacement for Lycoming Part No. STD-1420	FAA approved Superior Air Parts, Inc., Dwg. No. SL-STD-1420 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	LYCOMING ENG. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2B, D2C O-320-A2A, A2B, A2C, A2D, A3A, A3B, A3C, B2A, B2B, B2C, B3A, B3B, B3C, D1A, D1D, D1F, D2A, D2B, D2C, D2G, D2J, D3G, E1A, E1F, E2A, E2B, E2C, E2D, E2F, E2G, E2H, E3D, E3H IO-320-B1A, B1C, C1A, D1A, D1B, D2A, E1A, E1B, E2A, E2B AIO-320-B1B, C1B LIO-320-B1A, C1A O-340-A, B O-360-A1A, A1C, A1D, A1F6, A1G6, A2A, A2D, A2E, A2F, A2G, A3A, A4A, A4G, A4J, A4K, A4N, A4M, B2A, C1A, C1C, C1E, C1F, C1G, C2A, C2C, C2D, C2E, D2A,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 23 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL-STD-1420 Nut, hex slotted (cont'd)	Lycoming Part No. STD-1420	FAA approved Dwg. No. SL-STD-1420 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	LYCOMING ENG. D2B, F1A6 IO-360-A1A, A1B, A1B6, A1C, A1D, A1D6, A2A, A2B, B1A, B1B, B1D, B1E, B1F, B2F, B2F6, B4A, C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F AEIO-360-A1E, B1G6, H1A AIO-360-A1A, A1B, B1B LIO-360-C1E6 HO-360-B1A, B1B HIO-360-A1A, B1A, C1A, C1B, D1A TIO-360-A1B TIO-360-C1A6D VO-360-A1A, A1B, B1A IVO-360-A1A O-540-A1A, A1A5, A1B5, A1C5, A1D, A1D5, A2D, A3D5, B1A5, B1B5, B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, F1A5, F1B5, G1A5, G2A5, H1B5D, H2B5D, J1A5D, J3A5D, J3C5D, L3C5D IO-540-A1A5, B1A5, B1C5, C1B5, C4B5, C4C5, D4A5, E1A5, E1B5,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER _____	APPROVED REPLACEMENT FOR _____	FAA DESIGN DATA AND APPROVAL MEANS _____	ELIGIBLE FOR INSTALLATION ON _____
SL-STD-1420 Nut, hex slotted (cont'd)	Lycoming Part No. STD-1420	FAA approved Dwg. No. SL-STD-1420 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	LYCOMING ENG. G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1A5D, K1B5, K1C5, K1D5, K1E5, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, K1K5, S1A5, T4A5D, T4B5D, T4C5D M1A5, M1B5D, N1A5, P1A5, R1A5, W1A5D, AA1A5, C4D5D L1C5, V4A5D W3A5D T1O-541-A1A, E1A4, E1B4, E1C4 T1O-540-A1A, A1B, A2A, A2B, A2C, C1A, E1A, G1A, H1A, J2B, F2BD, J2BD, T1O-540-N2BD, R2AD, S1AD, U2A, V2AD AA1AD, AB1AD AE1O-540-D4B5, L1B5D LT1O-540-J2B, F2BD, J2BD, N2BD, R2AD, U2A, V2AD T1GO-541-E1A IO-720-A1A, A1B, B1B, B1BD, C1B, D1B, D1C, D1CD

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL-STD-1686 Screw	Replacement for Lycoming Part No. STD-1686	FAA approved Superior Air Parts, Inc., Dwg. No. SL-STD-1686 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. IO-360-A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D IO-360-C1B, C1D6 HIO-360-A1A, C1A, B1B, D1A, E1AD, E1BD, F1AD AEIO-360-A1E AIO-360-A1A, A1B, B1B TVO-435-A1A, B1A, D1A, D1B, F1A, G1A VO-435-A1B, A1C, A1D, A1E, A1F GO-480-G1B6, G1E6, D1A IO-540-A1A5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, K1A5, K1B5, K1C5, K1D5, K1E5, K1F5, K1F5D, K1G5, K1J5, K1J5D, IO-540-L1C5, M1B5D, P1A5, S1A5, AA1A5 TIO-540-A2C, J2B, F2BD, J2BD, N2BD, R2AD, S1AD, U2A TIO-540-AA1AD LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD, U2A IGO-540-A1A, A1C, B1A, B1C

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL-STD-1686 Screw (cont'd)	Lycoming Part No. STD-1686	FAA approved Dwg. No. SL-STD-1686 Rev. n/c dtd. 11/03/89 or later FAA approved revision.	LYCOMING ENG. AEIO-540-L1B5D IGSO-540-A1A, A1C,A1D,A1E,A1H VO-540-A1A, A2A, B1A, B2A, B1B3, B1C, B2C, B1D, B2D, C1A, C2A, C1B, C2B TIVO-540-A2A
SL-STD-2090✓ Nut, hex plain	Replacement for Lycoming Part No. STD-2090	FAA approved Superior Air Parts, Inc., Dwg. No. SL-STD-2090 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	LYCOMING ENG. O-290-D, D2, D2B, D2C O-320-A2B, A2C, A2D, A3A, A3B, B2B, B2C, B3B O-320-D1A, D1D, D1F, D2A, D2B, D2C, D2G, D2J, D3G O-320-E1A, E1F, E2A, E2B, E2C, E2D, E2F, E2G, E2H, E3D, E3H O-320-H2AD IO-320-B1A, B1C, C1A, D1A, D1B, E1A, E1B, E2A, E2B LIO-320-B1A, C1A AIO-320-B1B, C1B O-360-A1A, A1AD, A1D, A1F6, A1F6D, A1G6, A1G6D, A1LD, A2A, A2D, A2F, A2G, A3A, A3AD, A4A, A4G, A4J, A4K, A4M, A4N, A5AD, B2A,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL-STD-2090 Nut, hex plain (cont'd)	Replacement for Lycoming Part No. STD-2090	FAA approved Superior Air Parts, Inc., Dwg. No. SL-STD-2090 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	LYCOMING ENG. C1A, C1C, C1E, C1F, C1G, C2A, C2C, C2E, D2A, F1A6, E1A6D IO-360-A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D, B1B, B1D, B1E, B1F, B2F, B2F6, B4A, C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D LIO-360-C1E6 HIO-360-A1A, B1A, C1A, C1B, D1A, E1AD, E1BD, F1AD TIO-360-A1B, C1A6D AEIO-360-A1E, B1G6, H1A TO-360-C1A6D, E1A6D LO-360-A1G6D, E1A6D AIO-360-A1A, A1B, B1B LTO-360-E1A6D TVO-435-B1A, D1A, D1B, F1A, G1A O-540-B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, G1A5, H1B5D, H2B5D, J1A5D, J3A5D, J3C5D, L3C5D

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL-STD-2090 Nut, plain hex (cont'd)	Lycoming Part No. STD-2090	FAA approved Dwg. No. SL-STD-2090 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	LYCOMING ENG. IO-540-C4B5, C4D5D, D4A5, G1D5, K1A5, K1A5D, K1B5, K1D5, K1E5, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, K1K5, L1C5, M1B5D, S1A5, T4A5D, T4B5D, T4C5D, V4A5D, W1A5D, W3A5D, AA1A5 TIO-540-A2C, C1A, J2B, F2BD, J2BD, N2BD, R2AD, S1AD, U2A, V2AD, AA1AD, AB1AD LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD, U2A, V2AD AEIO-540-D4B5, L1B5D TIO-541-A1A, E1A4, E1B4, E1C4 TIGO-541-E1A IO-720-A1B, B1B, B1BD, D1B, D1C, D1CD LYCOMING ENG. O-235-C1, C1B, C1C, C2A, C2C, F2A, F2B, H2C, J2A, K2A, K2B, K2C, L2A, L2C, M1, N2A, N2C, P2A O-290-D, D2, D2B, D2C O-320-A2A, A2B, A2C, A2D, A3A, A3B, A3C, B1A,
SL-STD-872 ✓ Nut, hex slotted	Replacement for Lycoming Part No. STD-872	FAA approved Superior Air Parts, Inc., Dwg. No. SL-STD-872 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL-STD-872 Nut, hex slotted (cont'd)	Lycoming Part No. STD-872	FAA approved Dwg. No. SL-STD-872 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	LYCOMING ENG. B1B, B2A, B2B, B2C, B3A, B3B, B3C, D1A, D1D, D1F, D2A, D2B, D2C, D2G, D2J, D3G, E1A, E1F, E2A, E2B, E2C, E2D, E2F, E2G, E2H, E3D, E3H IO-320-B1A, B1C, C1A, D1A, D1B, E1A, E1B, E2A, E2B AIO-320-B1B, C1B LIO-320-B1A, C1A O-340-A, B O-360-A1A, A1AD, A1C, A1D, A1F6, A1F6D, A1G6, A1G6D, A1LD, A2A, A2D, A2E, A2F, A2G, A3A, A3AD, A4A, A4G, A4J, A4K, A4M, A4N, A5AD B2A, C1A, C1C, C1E, C1F, C1G, C2A, C2C, C2D, C2E, D2A, D2B, E1A6D, F1A6 IO-360-A1A, A1B, A1B6, A1B6D, A1C, A1D, A1D6, A2A, A2B, A3B6D, B1A, B1B, B1D, B1E, B1F, B2F, B2F6, B4A IO-360-C1A, C1B, C1C, C1C6, C1D6, C1E6, C1F, J1A6D HO-360-B1A, B1B

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL-STD-872 Nut, hex slotted (cont'd)	Lycoming Part No. STD-872	FAA approved Dwg. No. SL-STD-872 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	LYCOMING ENG. LIO-360-C1E6 HIO-360-A1A, B1A, C1A, C1B, D1A, E1AD, E1BD, F1AD LO-360-A1G6D, E1A6D TIO-360-A1B, C1A6D AEIO-360-A1E, B1G6, H1A TO-360-C1A6D, E1A6D AIO-360-A1A, A1B, B1B LTO-360-E1A6D VO-360-A1A, A1B, B1A IVO-360-A1A O-435-A, A2, C2, C2A, C2A2, C2B1, C2B2, C2B26, C2E VO-435-A1B, A1C, A1D, A1E, A1F TVO-435-A1A, B1A, D1A, D1B, F1A, G1A GO-480-C1D6, G1A6, G1D6, G1H6, G1J6, G2D6, G2F6, G1E6, G1E6, B, B1A6, B1B, B1C, B1D, D1A, F6, F1A6, F2A6, F4A6 O-540-A1A, A1A5, A1B5, A1C5, A1D,


PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 73 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL-STD-872 Nut, hex slotted (cont'd)	Lycoming Part No. STD-872	FAA approved Dwg. No. SL-STD-872 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	LYCOMING ENG. A1D5, A2B, A3D5, B1A5, B1B5, B2B5, B2C5, B4B5, E4A5, E4B5, E4C5, F1A5, F1B5, G1A5, G2A5, H1B5D, H2B5D, J1A5D, J3A5D, J3C5D, K1K5, L3C5D IO-540-A1A5, B1A5, B1C5, C1B5, C4B5, C4C5, C4D5D, D4A5, E1A5, E1B5, G1A5, G1B5, G1C5, G1D5, G1E5, G1F5, J4A5, K1A5, K1A5D, K1B5, K1C5, K1D5, K1E5, K1F5, K1F5D, K1G5, K1G5D, K1J5, K1J5D, L1C5, M1A5, N1A5, P1A5, R1A5, S1A5, T4A5D, T4B5D, T4C5D, V4A5D, W3A5D TIO-540-A1A, A1B, A2A, A2B, A2C, C1A, E1A, G1A, H1A, J2B, F2BD, J2BD, N2BD, R2AD, S1AD, U2A, V2AD, AA1AD, AB1AD IGO-540-A1A, A1C, B1A, B1C LTIO-540-J2B, F2BD, J2BD, N2BD, R2AD, U2A, V2AD IGSO-540-A1A, A1C, A1D, A1E,

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 3 (CONT'D)

NOMENCLATURE AND PART NUMBER	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL MEANS	ELIGIBLE FOR INSTALLATION ON
SL-STD-872 Nut, hex slotted (cont'd)	Lycoming Part No. STD-872	FAA approved Dwg. No. SL-STD-872 Rev. n/c dtd. 07/17/89 or later FAA approved revision.	LYCOMING ENG. A1H, B1A, B1C AEIO-540-D4B5, L1B5D VO-540-A1A, A2A, B1A, B2A, B1B3, B1C, B2C, B1D, B2D, C1A, C2A, C1B, C2B IVO-540-A1A TIVO-540-A2A TIO-541-A1A IO-720-A1A, A1B, B1B, B1BD, C1B, D1B, D1C, D1CD

END OF LISTING


Allen K. Griggs
Manager, DFW MDO

4-12-91
Date

This supplement is an attachment to FAA-PMA letter dated 06/11/79..